



ООО «Теплосила-Север», ИНН/КПП 7716642386/771601001, ОГРН 1097746300871  
 129344, г. Москва, ул. Енисейская, д.1, стр.3, офис 331 Тел/факс : (495)223-24-35  
 web: www.izomin.info email: info@teplosila.com

действует с 16.04.2012г.

### TS RUS Prices for TenCate materials Q2 2012

Product	Type	Description	Price (Euro/sqm)
TS	TS 09 (2,00 x 300)	6,5/6,5 kN/m, 90 g/m <sup>2</sup>	0,55
	TS 09 (2,00 x 300)	6,5/6,5 kN/m, 90 g/m <sup>2</sup>	0,58
	TS 10 (2,00 x 300)	8/8 kN/m, 105 g/m <sup>2</sup>	0,62
	TS 10 (4,00 x 300)	8/8 kN/m, 105 g/m <sup>2</sup>	0,62
	TS 10 (6,00 x 300)	8/8 kN/m, 105 g/m <sup>2</sup>	0,62
	TS 20 (2,00 x 250)	10/10 kN/m, 125 g/m <sup>2</sup>	0,75
	TS 20 (4,00 x 250)	10/10 kN/m, 125 g/m <sup>2</sup>	0,75
	TS 20 (6,00 x 250)	10/10 kN/m, 125 g/m <sup>2</sup>	0,78
	TS 30 (2,00 x 225)	12/12 kN/m, 155 g/m <sup>2</sup>	0,91
	TS 30 (4,00 x 225)	12/12 kN/m, 155 g/m <sup>2</sup>	0,91
	TS 30 (6,00 x 150)	12/12 kN/m, 155 g/m <sup>2</sup>	0,91
	TS 40 (2,00 x 200)	14/14 kN/m, 180 g/m <sup>2</sup>	1,03
	TS 40 (4,00 x 200)	14/14 kN/m, 180 g/m <sup>2</sup>	1,03
	TS 40 (6,00 x 200)	14/14 kN/m, 180 g/m <sup>2</sup>	1,03
	TS 50 (2,00 x 175)	16/16 kN/m, 200 g/m <sup>2</sup>	1,15
	TS 50 (4,00 x 175)	16/16 kN/m, 200 g/m <sup>2</sup>	1,15
	TS 50 (6,00 x 180)	16/16 kN/m, 200 g/m <sup>2</sup>	1,15
	TS 60 (2,00 x 135)	20/20 kN/m, 260 g/m <sup>2</sup>	1,49
	TS 60 (4,00 x 135)	20/20 kN/m, 260 g/m <sup>2</sup>	1,49
	TS 60 (6,00 x 140)	20/20 kN/m, 260 g/m <sup>2</sup>	1,53
	TS 65 (2,00 x 125)	22/22 kN/m, 285 g/m <sup>2</sup>	1,61
	TS 65 (4,00 x 125)	22/22 kN/m, 285 g/m <sup>2</sup>	1,61
	TS 65 (6,00 x 125)	22/22 kN/m, 285 g/m <sup>2</sup>	1,67
	TS 70 (2,00 x 100)	25/25 kN/m, 325 g/m <sup>2</sup>	1,83
	TS 70 (4,00 x 100)	25/25 kN/m, 325 g/m <sup>2</sup>	1,83
	TS 70 (6,00 x 100)	25/25 kN/m, 325 g/m <sup>2</sup>	1,83
	TS 80 (2,00 x 90)	29/30 kN/m, 385 g/m <sup>2</sup>	2,12
	TS 80 (4,00 x 90)	29/30 kN/m, 385 g/m <sup>2</sup>	2,12
	TS 80 (6,00 x 90)	29/30 kN/m, 385 g/m <sup>2</sup>	2,12
	P	P50 (6,00 x 80)	34/34 kN/m, 500 g/m <sup>2</sup>
P60 (6,00 x 65)		40/40 kN/m, 600 g/m <sup>2</sup>	3,31
P70 (6,00 x 55)		42/42 kN/m, 700 g/m <sup>2</sup>	3,89
P80 (6,00 x 50)		46/46 kN/m, 800 g/m <sup>2</sup>	4,41
P100 (5,40 x 40)		55/55 kN/m, 1000 g/m <sup>2</sup>	5,58
P120 (5,20 x 35)		62/50 kN/m, 1200 g/m <sup>2</sup>	6,64
F	F60 (6,00 x 100)	60 l/m <sup>2</sup> s, 400g/m <sup>2</sup>	2,32
	F70 (6,00 x 60)	45 l/m <sup>2</sup> s, 600g/m <sup>2</sup>	3,46
	F80 (6,00 x 40)	30 l/m <sup>2</sup> s, 800g/m <sup>2</sup>	4,84
DC	DC 401 E (2,00 x 25)	Geonet +GTX on one side	5,08
	DC 401 E (4,00 x 50)	Geonet +GTX on one side	4,95
	DC 601 E (2,00 x 25)	Geonet +GTX on one side	6,85
	DC 601 E (2,00 x 50)	Geonet +GTX on one side	6,65
	DC 402 E (2,00 x 25)	Geonet +GTX on both sides	6,77
	DC 402 E (2,00 x 50)	Geonet +GTX on both sides	6,63
	DC 402 E (4,00 x 50)	Geonet +GTX on both sides	6,74

DC 602 E (2,00 x 25)	Geonet +GTX on both sides	7,92
DC 602 E (2,00 x 50)	Geonet +GTX on both sides	8,05
DC 602 E (4,00 x 65)	Geonet +GTX on both sides	7,74

<b>DCF</b>	DCF401 200g (2,00 x 50)	Geonet +GTX +membrane	7,64
	DCF601 200g (2,00 x 50)	Geonet +GTX +membrane	9,06

<b>Megadrain</b>	Megadrain 730-12 (2,00 x 20)	Monofilament+GTX on one side	7,03
	Megadrain 730-12 (4,00 x 20)	Monofilament+GTX on one side	7,03
	Megadrain 1230-12 (2,00 x 20)	Monofilament+GTX on one side	9,94
	Megadrain 1230-12 (4,00 x 25)	Monofilament+GTX on one side	9,94
	Megadrain 2030-12 (2,00 x 20)	Monofilament+GTX on one side	10,93
	Megadrain 2030-12 (4,00 x 20)	Monofilament+GTX on one side	10,93
	Megadrain 740-12 (2,00 x 20)	Monofilament+GTX on both sides	8,19
	Megadrain 740-12 (4,00 x 20)	Monofilament+GTX on both sides	8,19
	Megadrain 1240-12 (2,00 x 25)	Monofilament+GTX on both sides	11,51
	Megadrain 1240-12 (4,00 x 25)	Monofilament+GTX on both sides	11,51
	Megadrain 2040-12 (2,00 x 20)	Monofilament+GTX on both sides	12,73
	Megadrain 2040-12 (4,00 x 20)	Monofilament+GTX on both sides	12,73

<b>Polymat</b>	Polymat 810 (2,00 x 75)	Monofilament mat	5,68
	Polymat 810 (4,00 x 75)	Monofilament mat	5,68
	Polymat 1210 (2,00 x 40)	Monofilament mat	6,44
	Polymat 1210 (4,00 x 40)	Monofilament mat	6,44
	Polymat 2010 (2,00 x 50)	Monofilament mat	7,02
	Polymat 2010 (4,00 x 50)	Monofilament mat	7,02
	Polymat 2020-09 (2,00 x 30)	Monofilament mat + Geogrid	10,51
	Polymat 2020-09 (4,00 x 30)	Monofilament mat + Geogrid	10,51
	Polymat 2020-20 (2,00 x 30)	Monofilament mat + Geogrid	11,89
	Polymat 2020-20 (4,00 x 30)	Monofilament mat + Geogrid	11,89

<b>Envirofelt CO</b>	Envirofelt CO 400 (2,00 x 25)	400 g/m <sup>2</sup>	1,72
	Envirofelt CO 700 (2,00 x 25)	700 g/m <sup>2</sup>	2,75

<b>PGM-G</b>	PGM 14 (1,00 x 150)	9/9 kN/m; 140 g/m <sup>2</sup>	1,08
	PGM 14 (1,90 x 150)	9/9 kN/m; 140 g/m <sup>2</sup>	1,08
	PGM 14 (3,00 x 150)	9/9 kN/m; 140 g/m <sup>2</sup>	1,09
	PGM 14 (3,80 x 150)	9/9 kN/m; 140 g/m <sup>2</sup>	1,10
	50/50 (0,95 x 130)	50/50 kN/m; elongation 3%	3,11
	50/50 (1,90 x 130)	50/50 kN/m; elongation 3%	3,11
	100/100 (0,95 x 100)	100/100 kN/m; elongation 3%	3,67
	100/100 (1,90 x 100)	100/100 kN/m; elongation 3%	3,67

<b>PGM-G E</b>	50/50 E (1,90 x 150)	60/60 kN/m; elongation 3%	2,73
	100/100 E (1,90 x 200)	100/100 kN/m; elongation 3%	3,14

<b>Miragrid</b>	Miragrid GX 20/20 (5,20 x 100)	21/21 kN/m; elongation 10,5/10%	1,81	
	<b>Biaxial</b>	Miragrid GX 35/35 (5,20 x 100)	38/38 kN/m; elongation 10,5/10%	2,40
		Miragrid GX 40/40 (5,20 x 100)	42/42 kN/m; elongation 10,5/10%	2,82
		Miragrid GX 55/55 (5,20 x 100)	58/58 kN/m; elongation 10,5/10%	3,17
		Miragrid GX 80/80 (5,20 x 100)	84/84 kN/m; elongation 10,5/10%	4,51
<b>Uniaxial</b>	Miragrid GX 35/20 (5,20 x 100)	38/20 kN/m; elongation 10,5/12%	2,06	
	Miragrid GX 55/30 (5,20 x 100)	58/30 kN/m; elongation 10,5/12%	2,49	
	Miragrid GX 80/30 (5,20 x 100)	84/30 kN/m; elongation 10,5/12%	2,94	
	Miragrid GX 110/30 (5,20 x 50)	116/30 kN/m; elongation 10,5/12%	3,63	
	Miragrid GX 160/30 (5,20 x 50)	168/30 kN/m; elongation 10,5/12%	4,88	
	Miragrid GX 200/30 (5,20 x 50)	210/30 kN/m; elongation 10,5/12%	5,49	
	Miragrid GX 400/30 (5,20 x 50)	420/30 kN/m; elongation 10,5/12%	9,93	

<b>ROCK PEC</b>	ROCK PEC 35/35 (5,30 x 100)	37/37 kN/m	3,66
<b>Biaxial</b>	ROCK PEC 55/50 (5,30 x 100)	58/53 kN/m	4,16
	ROCK PEC 75/75 (5,30 x 100)	79/79 kN/m	4,95
	ROCK PEC 95/95 (5,30 x 100)	100/100 kN/m	5,97
	<b>Uniaxial</b>	ROCK PEC 35 (5,30 x 100)	37/12 kN/m
	ROCK PEC 55 (5,30 x 100)	58/12 kN/m	3,45
	ROCK PEC 75 (5,30 x 100)	79/12 kN/m	3,79
	ROCK PEC 95 (5,30 x 100)	100/12 kN/m	4,31
	ROCK PEC 125 (5,30 x 100)	132/12 kN/m	4,85
	ROCK PEC 150 (5,30 x 100)	158/12 kN/m	5,16
	ROCK PEC 180 (5,30 x 100)	190/12 kN/m	5,77
	ROCK PEC 230 (5,30 x 100)	242/12 kN/m	6,77

<b>Geolon PP</b>	Geolon PP15 (5,20 x 100)	16/16 kN/m; elongation 17/12%	0,84
<b>Biaxial</b>	Geolon PP15 (5,20 x 200)	16/16 kN/m; elongation 17/12%	0,84
	Geolon PP25 (5,20 x 100)	25/25 kN/m; elongation 15/13%	0,95
	Geolon PP25 (5,20 x 200)	25/25 kN/m; elongation 15/13%	0,94
	Geolon PP40 (5,20 x 100)	40/40 kN/m; elongation 15/11%	1,55
	Geolon PP40 (5,20 x 200)	40/40 kN/m; elongation 15/11%	1,54
	Geolon PP60 (5,20 x 200)	66/62 kN/m; elongation 9/9%	2,63
	Geolon PP80 (5,20 x 200)	88/86 kN/m; elongation 9/9%	2,97
	Geolon PP100S (5,20 x 200)	110 kN/m /105 kN/m; elongation 9/9%	3,69
	Geolon PP120S (5,20 x 200)	132 kN/m /125 kN/m; elongation 9/9%	4,63
	<b>Uniaxial</b>	Geolon PP120 (5,20 x 200)	132/45 kN/m; elongation 9/10%
Geolon PP200 (5,20 x 200)		220/45 kN/m; elongation 9/10%	4,66
Geolon PP300 (5,20 x 200)		330/45 kN/m; elongation 9/10%	7,32
Geolon PP400 (5,20 x 200)		440/45 kN/m; elongation 9/10%	on request

<b>Geolon PE</b>	Geolon PE180 (5,05 x 100)	30 l/m <sup>2</sup> s	3,72
	Geolon PE300 (5,05 x 100)	65 l/m <sup>2</sup> s	2,72
	Geolon PE525 (5,05 x 100)	300 l/m <sup>2</sup> s	3,55
	Geolon PE1000 (5,05 x 100)	385 l/m <sup>2</sup> s	2,39

<b>Geolon PET</b>	Geolon Pet100 (5,00 x 300)	100/50 kN/m; elongation 10/12%	2,62
	Geolon Pet150 (5,00 x 300)	150/50 kN/m; elongation 10/12%	3,03
	Geolon Pet200 (5,00 x 300)	200/50 kN/m; elongation 10/12%	4,25
	Geolon Pet300 (5,00 x 200)	300/50 kN/m; elongation 10/12%	5,33
	Geolon Pet400 (5,00 x 200)	400/50 kN/m; elongation 10/12%	6,56
	Geolon Pet600/50 (5,00 x 150)	600/50 kN/m; elongation 10/12%	9,47
	Geolon Pet800 (5,00 x 100)	880/50 kN/m; elongation 10/12%	on request